



ORAGEUSE
contemporary patterns

SPRING 2017
PARIS LONG SLEEVES KIT

ASSEMBLY DIRECTIONS

Careful ! To make a Paris top, you have to buy the corresponding sewing pattern in addition to this kit, which will allow you to add two different sleeves to the original design..

WWW.ORAGEUSE.COM

© ORAGEUSE 2017 - registered brand and design - For private use only, any commercial use is strictly prohibited



LONG SLEEVES KIT FOR THE PARIS TOP

sewing skill: 2/5



We have re-worked our Paris top in a lighter fabric, perfect for Springtime!

With this kit, you can add:

- either a long sleeve, straight to the elbow then flared, with a ribbon in between these two parts
 - or a long flared sleeve, with a slit from the elbow to the wrist to the original Paris top.



For more details about the level of difficulty and sewing skill required for Orageuse sewing patterns, please go to the dedicated page on our website www.orageuse.com



BASICS

SIZES & MEASUREMENTS 3

SUPPLIES 4

Fabric suggestions 4

CUTTING 4

INSTRUCTIONS 5

The tied sleeve 5
The flared sleeve 6

ZIP FILE CONTENTS 6

INDEX OF PATTERN PIECES 6

SIZES & MEASUREMENTS

FRENCH SIZES	YOUR MEASUREMENTS	S34	S36	S38	S40	S42	S44	S46
Height		168 cm / 66"						
Bust		80cm 31.5"	84cm 33"	88cm 34.6"	92cm 36.2"	96cm 37.8"	100cm 39.4"	104cm 40.9"
Waist		62cm 24.4"	66cm 26"	70cm 27.6"	74cm 29.1"	78cm 30.7"	82cm 32.3"	86cm 33.9"
Upper hips		78cm 30.7"	82cm 32.3"	86cm 33.9"	90cm 35.4"	94cm 37"	98cm 38.6"	102cm 40.2"
Hips		86cm 33.9"	90cm 35.4"	94cm 37"	98cm 38.6"	102cm 40.2"	106cm 41.7"	110cm 43.3"
Front shoulder to waist		36cm 14.2"	36.5cm 14.4"	37cm 14.6"	37.5cm 14.8"	38cm 15"	38.5cm 15.2"	39cm 15.4"
Arm length		60cm 23.6"	60cm 23.6"	60cm 23.6"	60cm 23.6"	60cm 23.6"	60cm 23.6"	60cm 23.6"
Arm (bicep)		26cm 10.2"	27cm 10.6"	28cm 11"	29cm 11.4"	30cm 11.8"	31cm 12.2"	32cm 12.6"
Shoulder to elbow		35cm 13.8"	35cm 13.8"	35cm 13.8"	35cm 13.8"	35cm 13.8"	35cm 13.8"	35cm 13.8"

Do you need any help to check your measurements? Please go to the dedicated page on our website at www.orageuse.com

SUPPLIES

Tied sleeve:

- Fabric: 130cm/51" / 1.4 yd x 140cm/55" wide (including the pieces you need from the original Paris pattern).
- Two 1cm/0.4" wide ribbons, each 90cm/35.5" long.
- Matching thread.

Flared, split sleeve:

- Fabric: 120cm/47.25" / 1.3 yd x 140cm/55" wide (including the pieces you need from the original Paris pattern).
- Matching thread

Other supplies listed in your Paris instructions leaflet remain necessary (except for fabric and zipper. We do not recommend sewing a zipper at the back if your fabric is very thin).

FABRIC SUGGESTIONS

Opt for a light to medium weight woven fabric. Cotton, viscose, tencel, crepe etc.

CUTTING


Carefully cut every pattern piece according to the size chosen and your own modifications (if relevant).

Place these pieces on the folded fabric, keeping **all grainline arrows in parallel to the selvage** of the fabric. You might consume more fabric by doing so, but the result will be more attractive and resistant.

If your fabric is printed with patterns, match these patterns along the future seams, for a perfect finish!

Seam allowance is already included in the pattern pieces: you do not need to add them while cutting your fabric. It is 1cm/0.4" everywhere, except for the hems (2cm/0.8") and the side and yoke seams (yoke, front and back pieces) where it is 1.5cm/0.6" to help you to sew French seams.

 ORANGEUSE © registered brand and design - For private use only, any commercial use is strictly prohibited



! Copy all the markings from the pattern onto your fabric, especially the notches. Once the fabric has been cut, cut out the notches for a few millimeters into the seam allowances. These notches are essential to follow the assembly directions properly!



INSTRUCTIONS

Follow the assembly steps in your Paris original leaflet to assemble your top, up to the third step. Sleeves will be set as described in step 4, but before you follow that step, prepare the chosen sleeves as explained below. If your fabric is thin, we recommend you skip step 5 (putting in the zipper). Hem the top as indicated on step 6 (the sleeves of this kit are hemmed differently to the original sleeve, see below).




1 THE TIED SLEEVE


Fold the sleeve along the dotted lines to form the runner for the ribbon. Iron to mark these pleats. Line number 3 places itself below line number 1.



◀ Sew the two buttonholes on the two upper layers of fabric at the same time. If you are worried about how resistant your fabric is, fuse a small piece of interfacing between the two layers.



◀ Unfold the sleeve (you can not unfold it completely because of the buttonholes) and close the underarm seam.



◀ Fold the runner's pleats again and stitch them into place with two seams located 0.5cm/0.2" from the pleat lines number 1 and 2 all around the arm.


Fold line number 2 (hidden on the right side of the sleeve)

Fold line number 1 (placed above fold line number 3)


Hem the bottom of the sleeve (2x1cm/0.4"). Slide the ribbon into the runner through the buttonholes. Assemble the sleeve to your Paris top following the instructions described in step number 4 of your Paris instructions leaflet.

2 THE FLARED SLEEVE

Sew the underarm seam from the armhole to the notch.



Hem the two sides of the arm slit with one sole seam to form neat angles at the top of the slit.



Hem the bottom of the sleeve (2x1cm/0.4").

Fit the sleeve to your Paris top following the instructions of step 4 in your Paris instructions leaflet.



*Are you fond of your new Paris top? Show it on Instagram with the **#orangeuseParis** official hashtag! You can also send us a link to your blog via contact@orangeuse.com and appear on our boards or blog!*

ZIP FILE CONTENTS

NAME OF DOCUMENT	CONTENTS	LANGUAGE
ORGS-P17-Kit1-Paris-instructionsFR	Instructions leaflet	French
ORGS-P17-Kit1-Paris-instructionsENG	Instructions leaflet	English
ORGS-P17-Kit1-Paris-A0	Large format pattern (Copyshop version)	Bilingual (French and English)
ORGS-P17-Kit1-Paris-A4	A4 pattern	Bilingual (French and English)
ORGS-P17-Kit1-Paris-US	US letter pattern	Bilingual (French and English)

INDEX OF PATTERN PIECES

Seam allowances are included, so you do not have to add them when cutting your fabric. Seam allowances are 1cm/0.4" everywhere, except for the sleeve hems where they are 2cm/0.8"

	NUMBER	NAME	CUTTING DIRECTIONS
OR	1/1	Tied sleeve	Fabric x 2
	1/1	Flared sleeve	Fabric x 2